


DUMPSTER ENCLOSURES
CITY OF HOLLYWOOD





SCALE	N.T.S.	CADD No.	DUMPSTER ENCLOSURE	CVR
DATE	10/15/03	FILE No. BCRA 02-023		
DESIGNED	SO	ACCT. No.	COVER SHEET	CVR
DRAWN	MEM		City of Hollywood, Florida	
CHECKED		SENIOR PROJECT MANAGER	Department of Design and Construction Management	



NOTES:

1. FOR STRUCTURES TALLER THAN 6'-0", SIGNED & SEALED ENGINEERING DRAWINGS SHALL BE PROVIDED.
2. FOR DUMPSTERS LOCATED BETWEEN A1A & INTRACOASTAL WATERWAY SEE GEN DTL 5.

SCALE 1/4"=1'-0"	CADD No.	DUMPSTER ENCLOSURE W/ PAINTED RAKED JOINTS DUMPSTER PLAN	TYPE A
DATE 10/15/03	FILE No. BCRA 02-023		
DESIGNED SO	ACCT. No.	City of Hollywood, Florida Department of Design and Construction Management	
DRAWN MBM			
CHECKED	SENIOR PROJECT MANAGER		
		1 OF 4	



NOTES:

1. CMU - ASTM-90 NORMAL WEIGHT
MORTAR PROPERTIES - ASTM C-270
GROUT - ASTM C-1019 W/ fc=3000 PSI
2. ALL WOOD SHALL BE PRESSURE-TREATED SOUTHERN YELLOW PINE GRADE #2 OR EQUAL & PAINTED TO MATCH ADJACENT BUILDING COLOR.
3. PAINT COLOR OF RAKED JOINTS & COLORED STUCCO BANDS TO BE DETERMINED. MATCH COLOR TONE ON ADJACENT BLDG.

SCALE 1" = 20'	CADD No.	DUMPSTER ENCLOSURE W/ PAINTED RAKED JOINTS DUMPSTER ELEVATIONS	TYPE A
DATE 10/15/03	FILE No. BCRA 02-023		
DESIGNED SQ	ACCT. No.		
DRAWN MBW			
CHECKED	SENIOR PROJECT MANAGER	City of Hollywood, Florida Department of Design and Construction Management	2 OF 4

6"Ø STEEL POST SCHED. 40
 FILLED W/ CONC. SET IN
 16Øx42" DEEP CONC. FTG.
 PRIOR TO POURING SLAB.
 2 PER GATE.


SMOOTH STUCCO
 FINISH ON CONC.
 BLOCK

PIVOTING
 GATE

SIDE

6'-0" MAX.

FOR DROP ROD/GATE
 LATCH SEE GEN DTL 1



SIDE

SCALE 1" = 20'	CADD No.
DATE 10/18/03	FILE No. BCRA 02-023
DESIGNED SO	ACCT. No.
DRAWN MEM	
CHECKED	SENIOR PROJECT MANAGER

**DUMPSTER ENCLOSURE
 W/ PAINTED RAKED JOINTS
 DUMPSTER ELEVATIONS**

City of Hollywood, Florida
 Department of Design and Construction Management

**TYPE
 A**

STUCCO COVERED FOAM
PAINTED, COLOR TO BE
DETERMINED

4-#3@12" OC @ EA.
CORNER & BAL PLACE
AT 48" OC

4-#5 CONT.

8"x8"x16" CONC. MASONRY UNIT
W/ 9 GA. LADDER TYPE HORIZ.
REINF. EVERY OTHER COURSE

5/8" 2 COAT STUCCO
ON EACH SIDE OF 8"
CONCRETE BLOCK
PRIMER/PAINT TO MATCH
ADJACENT BUILDING

PAINTED BAND - COLOR
TO BE DETERMINED

STUCCO TEXTURE AND COLOR
TO MATCH ADJACENT BUILDING

#4 @ 12" OC x
5' LONG ALL
AROUND

3" MIN. COVER

2-#5 CONT

8"
SLOPE

2-30"x30" BARS AT
EACH CORNER (TYP)

1'-0"

HEIGHT OF DUMPSTER + 12" (5'-0" MIN., 6'-0" MAX.)

SLOPE FLOOR
TO DRAIN

6" (TYP.)


6"x6"-W4xW4
WELDED WIRE MESH
AT CENTER OF SLAB

SOIL SHALL BE
CLEAN &
WELL-COMPACTED

NOTES:

1. ALL CONCRETE SHALL BE CAST IN PLACE. CONC W/ fc = 3000 PSI @ 28 DAYS.
2. STRUCTURES LOCATED BETWEEN THE INTRACOASTAL WATERWAYS AND A1A SHALL BE CONSTRUCTED PER SHEET GEN DETAIL 5.

SCALE 3/4"=1'-0"	CADD No.	DUMPSTER ENCLOSURE W/ PAINTED RAKED JOINTS DUMPSTER WALL DETAIL	TYPE A
DATE 10/18/03	FILE No. BCRA 02-023		
DESIGNED SO	ACCT. No.		
DRAWN MEM			
CHECKED	SENIOR PROJECT MANAGER	City of Hollywood, Florida Department of Design and Construction Management	4 OF 4



HEIGHT OF DUMPSTER + 12"
(5'-0" MIN., 6'-0" MAX.)

8" CMU W/ STUCCO FINISH,
COLOR TO MATCH ADJACENT
BUILDING.

8"x8" DECORATIVE BULLNOSE
TILE, COLOR & STYLE TO BE
DETERMINED

4x8x16 CMU CAP - PAINT
COLOR TO MATCH BUILDING

SCALE	N.T.S.	CADD No.
DATE	10/15/03	FILE No. BCRA 02-023
DESIGNED	SO	ACCT. No.
DRAWN	MEM	
CHECKED		SENIOR PROJECT MANAGER

**DUMPSTER ENCLOSURE
CMU W/ TILE BAND
DUMPSTER PLAN**

City of Hollywood, Florida
Department of Design and Construction Management

TYPE
B
2 OF 3

4"x8"x16" C.M.U. CAP.
PAINT COLOR TO MATCH
BUILDING

8"x12" CONC TIE BEAM W/
4-#5

4-#3@12" OC @ EA.
CORNER & BAL PLACE
AT 48" OC

8"x8" DECORATIVE BULLNOSE TILE,
CENTERED 5'-0" ABOVE FINISH SLAB
OR AS DETERMINED BY ARCHITECT

STEEL JOINT REINFORCED AT
EVERY COURSE JOINT (CONT.)

STUCCO ALL AROUND TO
MATCH BUILDING

CONCRETE BLOCK (8"x8"x16").
9 GA. LADDER TYPE HORIZ.
REINF. EVERY OTHER COURSE.

6" DIA. STEEL PIPE FILLED
WITH CONCRETE (PAINTED)
(RECOMMENDED)


#4 @ 12" OC x 5' LONG ALL
AROUND

EXISTING PAVING

2-#5 CONT.

18" CONCRETE FOOTING WITH
3-#3 HOOPS (BEYOND)


2- 30"x30" BARS AT
EACH CORNER



NOTES:

1. CONCRETE TIE BEAM SHALL BE CAST IN PLACE. CONC W/ $f_c = 3000$ PSI
2. STRUCTURES LOCATED BETWEEN THE INTRACOASTAL WATERWAYS AND A1A SHALL BE CONSTRUCTED PER SHEET GEN DETAIL 5.

SCALE	N.T.S.	CADD No.	DUMPSTER ENCLOSURE CMU W/ TILE BAND DUMPSTER PLAN	TYPE B
DATE	10/15/03	FILE No. BCRA 02-023		
DESIGNED	SO	ACCT. No.		
DRAWN	MEM			
CHECKED		SENIOR PROJECT MANAGER	City of Hollywood, Florida Department of Design and Construction Management	3 OF 3



SCALE 3/8"=1'-0"	CADD No.
DATE 10/15/03	FILE No. BCRA 02-023
DESIGNED SG	ACCT. No.
DRAWN MBM	
CHECKED	SENIOR PROJECT MANAGER

**DUMPSTER ENCLOSURE
WOOD DUMPSTER
FLOOR PLAN**

City of Hollywood, Florida
Department of Design and Construction Management


TYPE

U

1 OF 3

2"x4" P.T. WOOD NAILERS
 ANCHORED TO WOOD POSTS W/
 3" LONG S.S. SCREWS BY
 RITEGUARD OR EQUAL
 COUNTERSINK BOLTS FLUSH W/
 WOOD NAILERS. (TYP.)

1"x6" P.T. WOOD
 FENCE BOARDS.
 SEE NOTE 6.



NOTES:

1. ALL WOOD TO BE P.T. SOUTHERN YELLOW PINE GRADE #2 OR BETTER, PAINTED TO MATCH ADJACENT BUILDING.
2. ALL FASTENERS TO BE STAINLESS STEEL.
3. ALL WOOD ON GATE TO BE PAINTED - COLOR TO BE DETERMINED.
4. ALL WOOD POSTS TO BE PAINTED TO MATCH ADJACENT BUILDING.
5. FOR STRUCTURES 6'-0" TALL AND HIGHER, SIGNED AND SEALED ENGINEERING DRAWINGS ARE REQUIRED.
6. RECYCLED PLASTIC LUMBER MAY BE USED AS AN ALTERNATIVE TO WOOD BOARD PLANKS. PROVIDE ENGINEERED SIGNED AND SEALED DRAWINGS FOR PERMITTING. PLASTIC LUMBER SHALL BE BOARDWALK COLOR TAN BY CERTAINTEEED CORPORATION.


SCALE 3/8"=1'-0"		CAUD No.	DUMPSTER ENCLOSURE		TYPE C	OF 3
DATE 10/15/03	FILE No. BCRA 02-023	WOOD DUMPSTER				
DESIGNED SG	ACCT. No.	DUMPSTER REAR WALL ELEVATION		City of Hollywood, Florida		
DRAWN AMM	SENIOR PROJECT MANAGER	Department of Design and Construction Management				
CHECKED						

4"x4"x6'-0" MAX. LONG WOOD
POST CAST INTO 3'-0"x12" DIA.
CONCRETE FOUNDATION.

1"x6" P.T. WOOD FENCE BOARDS
OVER P.T. WOOD NAILERS. SEE NOTE
6 ON SHEET 2/3, TYPE C.

2"x4" P.T. WOOD NAILERS ANCHORED
TO STEEL POSTS W/(2) 3" LONG S.S.
SCREWS COUNTERSINK BOLTS FLUSH
W/ WOOD NAILERS BY RITEGUARD OR
EQUAL.

6" CONC. SLAB W/ 6"x6" W4XW4
W.W.M. ON WELL COMPACTED,
CLEAN SAND FILL



SCALE 1"=1'-0"	CADD No.
DATE 10/15/03	FILE No. BCRA 02-023
DESIGNED SO	ACCT. No.
DRAWN MEM	
CHECKED	SENIOR PROJECT MANAGER

**DUMPSTER ENCLOSURE
WOOD DUMPSTER
DUMPSTER FENCE SECTION**

City of Hollywood, Florida
Department of Design and Construction Management

TYPE
C
3 OF 3