

# **Appendix A**

## **Soil Boring Logs**

# BORING LOG

Boring/Well Number: <b>LDP3</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date:	06/08/15	Borehole Start Time:	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM						
		End Date:	06/08/15	End Time:	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 16							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 12	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND and LIMEROCK, trace roots FILL		D	
DP	2-4	--	N/A	0	0	1	4	Brown fine SAND and LIMEROCK, trace roots FILL		D	
DP	4-6	--	N/A	0	0	0	6	Black to dark brown fine SAND, some limerock, trace roots, ash, pieces of glass, plastic, metal		D	
DP	6-8	--	N/A	0	0	0	8	Black to dark brown fine SAND, some limerock, trace roots, ash, pieces of glass, plastic, metal		D	
DP	8-10	--	N/A	0	0	0	10	Black to dark brown fine SAND, some limerock, trace roots, ash, pieces of glass, plastic, metal		M to W	Collected composite sample CSDP3 from interval ((+14)-(+7))
DP	10-12	--	N/A	0	0	0	12	LANDFILL MATERIAL (black pieces of wood)		W	
								Boring terminated at 12 ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LDP2</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date:	06/08/15	Borehole Start Time:	<input checked="" type="checkbox"/> AM <input type="checkbox"/> PM						
		End Date:	06/08/15	End Time:	<input checked="" type="checkbox"/> AM <input type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2		Borehole Depth (feet): 16						
Drilling Method(s): Direct Push		Apparent Borehole DTW (in feet from soil moisture content): 17	Measured Well DTW (in feet after water recharges in well): N/A		OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID						
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND, trace to some silt, limerock, trace roots. FILL.		D	
DP	2-4	--	N/A	0	0	1	4	Black to dark brown SAND, some silt, trace roots, pieces of plastic, wood. Fill		D	
DP	4-6	--	N/A	0	0	0	6	LANDFILL material (wood, paper, plastic, ash) some black sand, gravel and silt.		D	
DP	6-8	--	N/A	0	0	0	8	LANDFILL material (wood, paper, plastic, ash) some black sand, gravel and silt		D	
DP	8-10	--	N/A	0	0	0	10	Black fine SAND, some limerock, silt and landfill material		M to W	Collected composite sample CSDP2 from interval ((+17)-(+7))
DP	10-12	--	N/A	0	0	0	12	LANDFILL MATERIAL (black plastic, wood, textile intermix with sand, gravel and silt		W	
								Boring terminated at 12ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LDP1</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
		End Date: 06/08/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 16							
Drilling Method(s): Direct Push		Apparent Borehole DTW (in feet from soil moisture content): 14	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID							
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND, trace to some silt, limerock, trace roots. FILL.		D	
DP	2-4	--	N/A	0	0	1	4	Black to dark brown SAND, some silt, trace roots, pieces of plastic, wood. Fill		D	Collected discrete sample LDP1((+7)-(+5))
DP	4-6	--	N/A	0	0	0	6	LANDFILL material (wood, paper, plastic, ash) some black sand, gravel and silt		D	
DP	6-8	--	N/A	0	0	0	8	LANDFILL material (wood, paper, plastic, ash) some black sand, gravel and silt		D	
DP	8-10	--	N/A	0	0	0	10	Black fine SAND, some limerock, silt and landfill material		M to W	Collected composite sample LDP1 from interval ((+17)-(+7))
DP	10-12	--	N/A	0	0	0	12	LANDFILL MATERIAL (black plastic, wood, textile)		W	
								Boring terminated at 12ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB8</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/09/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
		End Date: 06/09/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 12							
Drilling Method(s): Direct Push		Apparent Borehole DTW (in feet from soil moisture content): 8	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID							
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown to dark brown fine SAND, some limerock and silt. FILL		D	
DP	2-4	--	N/A	0	0	1	4	Brown to dark brown fine SAND, some limerock and silt. FILL		D	Collected discrete sample LB8((+7) -(+5))
DP	4-6	--	N/A	0	0	0	6	Black fine SAND, some limerock, ash, and pieces of wood		D	Collected discrete sample LB8((+5) -(+3))
DP	6-8	--	N/A	0	0	0	8	Black fine SAND, some limerock, silt and landfill material		D	
DP	8-10	--	N/A	0	0	0	10	Black fine SAND, some limerock, silt and landfill material		M to W	Collected composite sample CSB8 from interval ((+16.5)-(+7))
DP	10-12	--	N/A	0	0	0	12	LANDFILL MATERIAL (black plastic, wood, textile)		W	
								Boring terminated at 12ft bgs.			
								Boring terminated at 12 ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB7</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	End Date: 06/08/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): 0.1	Borehole Diameter (inches): 2	Borehole Depth (feet): 16							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 15.5	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	0.1' ASPHALT LIMEROCK and fine SAND [FILL] Brown		D	
DP	2-4	--	N/A	0	0	1	4	Black fine SAND, some limerock, ash, and pieces of wood		D	Collected discrete sample LB5((+7) -(+5))
DP	4-6	--	N/A	0	0	0	6	Black fine SAND, some limerock, ash, and pieces of wood		D	Collected discrete sample LB7((+5) -(+3))
DP	6-8	--	N/A	0	0	0	8	Black fine SAND, some limerock, ash, and pieces of wood		D	
DP	8-10	--	N/A	0	0	0	10	Black fine SAND, some limerock, ash, and pieces of wood		D	Collected composite sample CSB7 from interval ((+15)-(+7))
DP	10-12	--	N/A	0	0	0	12	Black fine SAND, some limerock, ash, and pieces of wood		D	
DP	12-14	--	N/A	0	0	0	14	Black fine SAND, some limerock, ash, and pieces of wood, metal		M to W	
DP	14-16	--	N/A	0	0	0	16	Black fine SAND, some limerock, ash, and pieces of wood, metal		W	
Boring terminated at 16 ft bgs.											

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB6</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM	End Date: 06/08/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 12							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 16.5	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND and LIMEROCK, trace roots FILL		D	
DP	2-4	--	N/A	0	0	1	4	Brown fine SAND and LIMEROCK, trace roots FILL		D	Collected discrete sample LB6((+7) -(+5))
DP	4-6	--	N/A	0	0	0	6	Black to dark brown fine SAND, some limerock, trace roots, ash, pieces of glass, plastic, metal		D	
DP	6-8	--	N/A	0	0	0	8	Black to dark brown fine SAND, some limerock, trace roots, ash, pieces of glass, plastic, metal, wood		D	
DP	8-10	--	N/A	0	0	0	10	Black to dark brown fine SAND, some limerock, trace roots, ash, pieces of glass, plastic, metal, wood		D	Collected composite sample CSB6 from interval ((+17.5)-( +7))
DP	10-12	--	N/A	0	0	0	12	LANDFILL MATERIAL (black pieces of wood)		W	
								Boring terminated at 12 ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB5</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
		End Date: 06/08/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 12							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 18	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND and LIMEROCK, trace roots and asphalt. FILL		D	
DP	2-4	--	N/A	0	0	1	4	Brown fine SAND and LIMEROCK, trace roots and asphalt. FILL		D	Collected discrete sample LB5((+7) -(+5))
DP	4-6	--	N/A	0	0	0	6	Black to dark brown fine SAND, trace limerock, roots, some pieces of wood		D	Collected discrete sample LB5((+5) -(+3))
DP	6-8	--	N/A	0	0	0	8	Black to dark brown fine SAND, trace limerock, roots, some pieces of wood		D	
DP	8-10	--	N/A	0	0	0	10	Black to dark brown fine SAND, trace limerock, roots, some pieces of wood		D	Collected composite sample CSB5 from interval ((+18.5)-(+7))
DP	10-12	--	N/A	0	0	0	12	LANDFILL MATERIAL (black pieces of wood)		W	
DP	12-14	--	N/A	0	0	0	14	LANDFILL MATERIAL (black pieces of wood)			
DP	14-16	--	N/A	0	0	0	16	LANDFILL MATERIAL (black pieces of wood)			
DP	14-16	--	N/A	0	0	0	18	LANDFILL MATERIAL (black pieces of wood)			
DP	14-16	--	N/A	0	0	0	18	LANDFILL MATERIAL (black pieces of wood)			
Boring terminated at 18 ft bgs.											

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings

Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB4</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: 06/08/15	End Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 12							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 8	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND, some limerock, trace roots. Fill		D	
DP	2-4	--	N/A	0	0	1	4	Brown fine SAND, some limerock, trace roots. Fill		D	Collected discrete sample LB4((+7) -(+5))
DP	4-6	--	N/A	0	0	0	6	Brown to black fine SAND, trace limerock, roots, pieces of plastic, pieces of metal		D	Collected discrete sample LB4((+5) -(+3))
DP	6-8	--	N/A	0	0	0	8	Brown to black fine SAND, trace limerock, roots, pieces of plastic, pieces of metal		D	
DP	8-10	--	N/A	0	0	0	10	Brown to black fine SAND, trace limerock, roots, pieces of plastic, pieces of metal		M to W	Collected composite sample LB4 9-7 from interval ((+9)-(+7))
DP	10-12	--	N/A	0	0	0	12	Brown to black fine SAND, trace limerock, roots, pieces of plastic, pieces of metal		W	
								Boring terminated at 12 ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB3</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM	End Date: 06/08/15	End Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 12							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 17.5		Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID							
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND, some limerock, trace roots. Fill		D	
DP	2-4	--	N/A	0	0	1	4	Brown fine SAND, some limerock, trace roots. Fill		D	
DP	4-6	--	N/A	0	0	0	6	Black fine SAND, some silt and limerock, trace pieces of paper, glass		D	
DP	6-8	--	N/A	0	0	0	8	Black fine SAND, some silt and limerock, trace pieces of paper, glass		D	
DP	8-10	--	N/A	0	0	0	10	Black to dark brown LANDFILL MATERIAL (fine sand, pieces of wood)		D	Collected composite sample CSB3 from interval ((+18)-(+7))
DP	10-12	--	N/A	0	0	0	12	Black to dark brown LANDFILL MATERIAL (fine sand, pieces of wood)		D	
DP	12-14	--	N/A	0	0	0	14	Black to dark brown LANDFILL MATERIAL (fine sand, pieces of wood)		M to W	
DP	14-16	--	N/A	0	0	0	16	Black to dark brown LANDFILL MATERIAL (fine sand, pieces of wood)		W	
Boring terminated at 16ft bgs.											

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB2</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
		End Date: 06/08/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM								
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environme <input type="checkbox"/>	Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2	Borehole Depth (feet): 16								
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): 13	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown to gray fine SAND, some limerock, trace roots and asphalt. FILL.		D	
DP	2-4	--	N/A	0	0	1	4	Yellowish-brown fine SAND		D	
DP	4-6	--	N/A	0	0	0	6	Yellowish-brown fine SAND		D	
DP	6-8	--	N/A	0	0	0	8	Brown to dark brown fine SAND, trace limerock and organics.		D	Collected discrete sample LB2((+7) -(+5))
DP	8-10	--	N/A	0	0	0	10	Black fine SAND, some limerock		D	Collected discrete sample LB2((+5) -(+3))
DP	10-12	--	N/A	0	0	0	12	Black fine SAND, some limerock		D	Collected composite sample LB2((+17) -(+7))
DP	12-14	--	N/A	0	0	0	14	White LIMESTONE, some sand		M to W	
DP	14-16	--	N/A	0	0	0	16	White LIMESTONE, some sand		W	
								Boring terminated at 8 ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB1</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: Hollywood Incinerator Ash Dump		Borehole Start Date: 06/08/15	Borehole Start Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM								
		End Date: 06/08/15	End Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM								
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): N/A	Borehole Diameter (inches): 2		Borehole Depth (feet): 8						
Drilling Method(s): Direct Push		Apparent Borehole DTW (in feet from soil moisture content): 6	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID							
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	--	N/A	0	0	0	2	Brown fine SAND, trace to some silt, limerock, trace roots. FILL.			
DP	2-4	--	N/A	0	0	0	4	Black to dark brown SAND, some silt, trace roots, pieces of plastic, wood. Fill		D	Composite sample LB1((+12.5) -(+7))
DP	4-6	--	N/A	0	0	0	6	LANDFILL material (wood, paper, plastic, ash) some black sand.		M to W	
DP	6-8	--	N/A	0	0	0	8	LANDFILL material (wood, paper, plastic, ash) some black sand.		W	
								Boring terminated at 8 ft bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB9</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: <b>HIAD-Southern Parcels</b>		Borehole Start Date:	11/17/15	Borehole Start Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM							
		End Date:	11/17/15	End Time: <input type="checkbox"/> AM <input checked="" type="checkbox"/> PM							
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): 0.1	Borehole Diameter (inches): 2	Borehole Depth (feet): 5							
Drilling Method(s): Direct Push		Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID							
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	2	N/A	0	0	0	2	(0 - 0.1') ASPHALT 0.1' - 0.7') White LIMEROCK [FILL] (0.7' - 2') Black to dark brown, SAND, fine to medium, trace gravel, trace silt.		D	Collected discrete sample LB9(0 - 2')
DP	2-4	2	N/A	0	0	1	4	White to tan, LIMEROCK, [FILL]		D	Collected discrete sample LB9(2' - 4')
DP	4-5	0.5	N/A	0	0	0	6	White to tan, LIMEROCK, [FILL]		D	
								Boring terminated at 5 feet bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB10</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: <b>HIAD-Southern Parcels</b>		Borehole Start Date:	11/16/15	Borehole Start Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM							
		End Date:	11/16/15	End Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM							
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): 0.1	Borehole Diameter (inches): 2	Borehole Depth (feet): 5							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): N/A		Measured Well DTW (in feet after water recharges in well): N/A		OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID						
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	2	N/A	0	0	0	2	(0 - 0.1') ASPHALT (0.1' - 0.7') White LIMEROCK [FILL] (0.7' - 2') Black to dark brown, SAND, fine to medium, trace gravel, trace silt.		D	Collected discrete sample LB10(0 - 2')
DP	2-4	2	N/A	0	0	1	4	Brown, SAND, fine to medium, some gravel, trace silt, [FILL]		D	Collected discrete sample LB10(2' - 4')
DP	4-5	0.5	N/A	0	0	0	5	Brown, SAND, fine to medium, some gravel, trace silt, [FILL]			
								Boring terminated at 5 feet bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB11</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: <b>HIAD-Southern Parcels</b>		Borehole Start Date:	11/16/15	Borehole Start Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM							
		End Date:	11/16/15	End Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM							
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): 0.1	Borehole Diameter (inches): 2	Borehole Depth (feet): 5							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	2	N/A	0	0	0	2	(0 - 0.1') ASPHALT (0.1' - 0.7') White LIMEROCK [FILL] (0.7' - 2') Light gray, SAND, fine to medium, trace silt. [FILL].		D	Collected discrete sample LB11(0 - 2')
DP	2-4	1	N/A	0	0	1	4	Light gray, SAND, fine to medium, trace silt. [FILL].		D	Collected discrete sample LB11(2' - 4')
								Boring terminated at 4 feet bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>LB12</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: <b>HIAD-Southern Parcels</b>		Borehole Start Date:	11/16/15	Borehole Start Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM							
		End Date:	11/16/15	End Time: <input checked="" type="checkbox"/> AM <input type="checkbox"/> PM							
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): 0.1	Borehole Diameter (inches): 2	Borehole Depth (feet): 5							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): N/A		Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID							
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	2	N/A	0	0	0	2	(0 - 0.1') ASPHALT (0.1' - 0.8') White to tan, LIMEROCK [FILL] (0.7' - 2') Black to dark brown, SAND, fine to medium, trace gravel, trace silt.		D	Collected discrete sample LB12(0 - 2')
DP	2-4	1	N/A	0	0	1	4	Brown, SAND, fine to medium, some gravel, trace silt, [FILL]		D	Collected discrete sample LB12(2' - 4')
								Boring terminated at 4 feet bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>CS1</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: <b>HIAD-Southern Parcels</b>		Borehole Start Date:	11/16/15	Borehole Start Time:	<input checked="" type="checkbox"/> AM <input type="checkbox"/> PM						
		End Date:	11/16/15	End Time:	<input checked="" type="checkbox"/> AM <input type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		Pavement Thickness (Feet): 0.1	Borehole Diameter (inches): 2	Borehole Depth (feet): 5							
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): N/A	Measured Well DTW (in feet after water recharges in well): N/A	OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID								
Disposition of Drill Cuttings (check method(s)): <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
DP	0-2	2	N/A	0	0	0	2	(0 - 0.1') ASPHALT (0.1' - 0.8') White to tan, LIMEROCK [FILL] (0.7' - 2') dark brown to black, SAND, fine to medium, trace gravel, trace silt.		D	Collected discrete sample CS1(0 - 2')
DP	2-4	1	N/A	0	0	1	4	Brown, SAND, fine to medium, some gravel, trace silt, [FILL]		D	Collected discrete sample CS1(2' - 4')
								Boring terminated at 4 feet bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated

# BORING LOG

Boring/Well Number: <b>CS2</b>		Permit Number:		FDEP Facility Identification Number:							
Site Name: <b>HIAD-Southern Parcels</b>		Borehole Start Date:	11/17/15	Borehole Start Time:	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM						
		End Date:	11/17/15	End Time:	<input type="checkbox"/> AM <input checked="" type="checkbox"/> PM						
Environmental Contractor: Langan		Geologist's Name: Ruben D. Ponciano		Environmental Technician's Name:							
Drilling Company: Wombat Environmental, Inc.		N/a		Borehole Diameter (inches): 2	Borehole Depth (feet): 5						
Drilling Method(s): Direct Push	Apparent Borehole DTW (in feet from soil moisture content): N/A		Measured Well DTW (in feet after water recharges in well): N/A		OVA (list model and check type): <input type="checkbox"/> FID <input type="checkbox"/> PID						
Disposition of Drill Cuttings [check method(s)]: <input type="checkbox"/> Drum <input type="checkbox"/> Spread <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Stockpile <input type="checkbox"/> Other <i>(describe if other or multiple items are checked):</i>											
Borehole Completion (check one): <input type="checkbox"/> Well <input type="checkbox"/> Grout <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Backfill <input type="checkbox"/> Other (describe)											
Sample Type	Sample Depth Interval (feet)	Sample Recovery (inches)	SPT Blows (per six inches)	Unfiltered OVA	Filtered OVA	Net OVA	Depth (feet)	Sample Description (include grain size based on USCS, odors, staining, and other remarks)	USCS Symbol	Moisture Content	Lab Soil and Groundwater Samples (list sample number and depth or temporary screen interval)
HA	0-2	2	N/A	0	0	0	2	(0 - 1') Black, Top soil (1' - 2') Black to dark brown, SAND, fine to medium, some silt, trace gravel, trace roots, trace pieces of glass, metals, paper, plastic. [FILL]		D	Collected discrete sample CS2(0 - 2')
HA	2-4	1	N/A	0	0	1	4	Black to dark brown, SAND, fine to medium, some silt, trace gravel, trace roots, trace pieces of glass, metals, paper, plastic. [FILL]		D	Collected discrete sample CS2(2' - 4')
								Boring terminated at 4 feet bgs.			

Sample Type Codes: PH = Post Hole; HA = Hand Auger; SS = Split Spoon; ST = Shelby Tube; DP = Direct Push; SC = Sonic Core; DC = Drill Cuttings  
 Moisture Content Codes: D = Dry; M = Moist; W = Wet; S = Saturated